

Bibliography

- [1] H. K. Onnes. *Communications from the Physical Laboratory of the University of Leiden* (1911).
- [2] W. Meissner and R. Ochsenfeld, “Ein neuer Effekt bei Eintritt der Supraleitfähigkeit.” *Naturwissenschaften* **21**, 787–788 (1933).
- [3] F. and H. London. *Proceedings of the Royal Society of London* **A149**, 71 (1935).
- [4] V. L. Ginzburg and L. D. Landau. *Zh. Eksperim. i Teor. Fiz.* **20**, 1064 (1950).
- [5] J. Bardeen, L. N. Cooper, and J. R. Schrieffer, “Theory of Superconductivity.” *Physical Review* **108**, 1175–1204 (1957).
- [6] L. N. Cooper, “Bound Electron Pairs in a Degenerate Fermi Gas.” *Physical Review* **104**, 1189 (1956).
- [7] H. Fröhlich, “Theory of the Superconducting State. I. The Ground State at the Absolute Zero of Temperature.” *Physical Review* **79**, 845 (1950).
- [8] W. S. Corak, B. B. Goodman, C. B. Satterthwaite, and A. Wexler, “Exponential Temperature Dependence of the Electronic Specific Heat of Superconducting Vanadium.” *Physical Review* **96**, 1442 (1954).
- [9] W. S. Corak, B. B. Goodman, C. B. Satterthwaite, and A. Wexler, “Atomic Heats of Normal and Superconducting Vanadium.” *Physical Review* **102**, 656 (1956).
- [10] M. A. Biondi, M. P. Garfunkel, and A. O. McCoubrey, “Millimeter Wave Absorption in Superconducting Aluminum.” *Physical Review* **101**, 1427 (1956).
- [11] R. E. Glover and M. Tinkham, “Transmission of Superconducting Films at Millimeter-Microwave and Far Infrared Frequencies.” *Physical Review* **104**, 844 (1956).

-
- [12] R. E. Glover and M. Tinkham, "Conductivity of Superconducting Films for Photon Energies between 0.3 and $40kT_c$." *Physical Review* **108**, 243 (1957).
- [13] E. Maxwell, "Isotope Effect in the Superconductivity of Mercury." *Physical Review* **78**, 477 (1950).
- [14] C. A. Reynolds, B. Serin, W. H. Wright, and L. B. Nesbit, "Superconductivity of Isotopes of Mercury." *Physical Review* **78**, 487 (1950).
- [15] G. Bednorz and K. A. Müller, "Possible high T_c superconductivity in the Ba-La-Cu-O system." *Z. Phys. B* **64**, 189–193 (1986).
- [16] M. K. Wu, "Superconductivity at 93 K in a New Mixed-Phase Y-Ba-Cu-O Compound System at Ambient Pressure." *Physical Review Letters* **58**, 908 (1987).
- [17] A. A. Abrikosov and L. P. Gor'kov. *Zh. Eksperim. i Teor. Fiz.* **39**, 1781 (1960).
- [18] A. A. Abrikosov and L. P. Gor'kov. *Soviet Phys - JETP* **12**, 1243 (1961).
- [19] D. A. Wollman, D. J. V. Harlingen, W. C. Lee, D. M. Ginsberg, and A. J. Leggett, "Experimental determination of the superconducting pairing state in YBCO from the phase coherence of YBCO-Pb dc SQUIDS." *Physical Review Letters* **71**, 2134–2137 (1993).
- [20] C. C. Tsuei, J. R. Kirtley, C. C. Chi, L. S. Yu-Jahnes, A. Gupta, T. Shaw, J. Z. Sun, and M. B. Ketchen, "Pairing Symmetry and Flux Quantization in a Tricrystal Superconducting Ring of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$." *Physical Review Letters* **73**, 593–596 (1994).
- [21] C. E. Gough, M. S. Colclough, E. M. Forgan, R. G. Jordan, M. Keene, C. M. Muirhead, A. I. M. Rae, N. Thomas, J. S. Abell, and S. Sutton, "Flux quantization in a high- T_c superconductor." *Nature* **326**, 855 (1987).
- [22] A. Lanzara, P. V. Bogdanov, X. J. Zhou, S. A. Kellar, D. L. Feng, E. D. Lu, T. Yoshida, H. Eisaki, A. Fujimori, K. Kishios, J.-I. Shimoyama, T. Noda, S. Uchida, Z. Hussain, and Z.-X. Shen, "Evidence for ubiquitous strong electronphonon coupling in high-temperature superconductors." *Nature* **412**, 510–514 (2001).
- [23] H. Eisaki, N. Kaneko, D. L. Feng, A. Damascelli, P. K. Mang, K. M. Shen, M. Greven, and Z.-X. Shen, "The importance of chemical disorder in determining the transition temperature of the high-temperature superconductors." Unpublished (2002).

-
- [24] D. J. Derro, E. W. Hudson, K. M. Lang, S. H. Pan, J. C. Davis, J. T. Markert, and A. L. de Lozanne, “Nanoscale One-Dimensional Scattering Resonances in the CuO Chains of $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$.” *Physical Review Letters* **88**, 97002 (2002).
- [25] H. Maeda, Y. Tanaka, M. Fukutomi, and T. Asano, “A new high- T_c oxide superconductor without a rare-earth element.” *Japanese Journal of Applied Physics, Part 2 - Letters* **27**, L209–L210 (1988).
- [26] S. Sachdev, “Quantum criticality: competing ground states in low dimensions.” *Science* **288**, 475–480 (2000).
- [27] P. W. Anderson, “The Resonating Valence Bond State in La_2CuO_4 and Superconductivity.” *Science* **235**, 1196–1198 (1987).
- [28] I. Affleck and J. B. Marston, “Large- n limit of the Heisenberg-Hubbard model: Implications for high- T_c superconductors.” *Physical Review B* **37**, 3774–3777 (1988).
- [29] J. B. Marston and I. Affleck, “Large- n limit of the Hubbard-Heisenberg model.” *Physical Review B* **39**, 11538–11558 (1989).
- [30] T. C. Hsu, J. B. Marston, and I. Affleck, “Two observable features of the staggered-flux phase at nonzero doping.” *Physical Review B* **43**, 2866–2877 (1991).
- [31] X.-G. Wen and P. A. Lee, “Theory of underdoped cuprates.” *Physical Review Letters* **76**, 503–506 (1996).
- [32] J. Kishine, P. A. Lee, and X. G. Wen, “Staggered local density of states around the vortex in underdoped cuprates.” *Physical Review Letters* **86**, 5365–5368 (2001).
- [33] J. Zaanen and O. Gunnarsson, “Charged magnetic domain lines and the magnetism of high- T_c oxides.” *Physical Review B* **40**, 7391–7394 (1989).
- [34] S. A. Kivelson, E. Fradkin, and V. J. Emery, “Electronic liquid-crystal phases of a doped Mott insulator.” *Nature* **393**, 550–553 (1998).
- [35] O. Zachar, S. A. Kivelson, and V. J. Emery, “Landau theory of stripe phases in cuprates and nickelates.” *Physical Review B* **57**, 1422–1426 (1998).
- [36] S. R. White and D. J. Scalapino, “Density matrix renormalization group study of the striped phase in the 2D $t - J$ model.” *Physical Review Letters* **80**, 1272–1275 (1998).
- [37] U. Löw, V. J. Emery, K. Fabricius, and S. A. Kivelson, “Study of an Ising-model with competing long-range and shortrange interactions.” *Physical Review Letters* **72**, 1918–1921 (1994).

- [38] S.-C. Zhang, “A unified theory based on $SO(5)$ symmetry of superconductivity and antiferromagnetism.” *Science* **275**, 1089–1096 (1997).
- [39] M. Vojta and S. Sachdev, “Charge order, superconductivity, and a global phase diagram of doped antiferromagnets.” *Physical Review Letters* **83**, 3916–3919 (1999).
- [40] E. Demler, S. Sachdev, and Y. Zhang, “Spin-ordering quantum transitions of superconductors in a magnetic field.” *Physical Review Letters* **87**, 067202 (2001).
- [41] C. M. Varma, “Proposal for an experiment to test a theory of high-temperature superconductors.” *Physical Review B* **61**, R3804–R3807 (2000).
- [42] S. Chakravarty, R. B. Laughlin, D. K. Morr, and C. Nayak, “Hidden order in the cuprates.” *Physical Review B* **63**, 094503 (2001).
- [43] T. Senthil and M. P. A. Fisher, “ Z_2 gauge theory of electron fractionalization in strongly correlated systems.” *Physical Review B* **62**, 7850–7881 (2000).
- [44] M. Franz, D. E. Sheehy, and Z. Tešanović, “Magnetic field induced charge and spin instabilities in cuprate superconductors.” *Physical Review Letters* **88**, 257005 (2002).
- [45] R. B. Laughlin, “Gossamer Superconductivity.” <http://arxiv.org/abs/cond-mat/0209269> (2002).
- [46] B. Lake, H. M. Rønnow, N. B. Christensen, G. Aeppli, K. Lefmann, D. F. McMorrow, P. Vorderwisch, P. Smeibidl, N. Mangkorntong, T. Sasagawa, M. Nohara, H. Takagi, and T. E. Mason, “Antiferromagnetic order induced by an applied magnetic field in a high-temperature superconductor.” *Nature* **415**, 299–302 (2002).
- [47] J. M. Tranquada, B. J. Sternlieb, J. D. Axe, Y. Nakamura, and S. Uchida, “Evidence for stripe correlations of spins and holes in copper oxide superconductors.” *Nature* **73**, 561–563 (1995).
- [48] V. J. Emery, S. A. Kivelson, and J. M. Tranquada, “Stripe phases in high-temperature superconductors.” *Proceedings of the National Academy of Sciences U. S. A.* **96**, 8814–8817 (1999).
- [49] S. H. Pan, E. W. Hudson, and J. C. Davis, “ ^3He Refrigerator Based Very Low Temperature Scanning Tunneling Microscope.” *Review of Scientific Instruments* **70**, 1459–1463 (1999).

- [50] C. K. Shih, R. M. Feenstra, and G. V. Chandrashekar, “Scanning tunneling microscopy and spectroscopy of Bi-Sr-Ca-Cu-O 2:2:1:2 high-temperature superconductors.” *Physical Review B* **43**, 7913–7922 (1991).
- [51] G. Binnig, H. Rohrer, C. Gerber, and E. Weibel, “Surface Studies by Scanning Tunneling Microscopy.” *Physical Review Letters* **49**, 5761 (1982).
- [52] J. Bardeen, “Tunnelling from a Many-Particle Point of View.” *Physical Review Letters* **6**, 57–59 (1961).
- [53] M. H. Cohen, L. M. Falicov, and J. C. Phillips, “Superconductive Tunneling.” *Physical Review Letters* **8**, 316318 (1962).
- [54] N. D. Lang, “Resistance of a one-atom contact in the scanning tunneling microscope.” *Physical Review B* **36**, 8173–8176 (1987).
- [55] E. W. Hudson, “Investigating High- T_c Superconductivity on the Atomic Scale by Scanning Tunneling Microscopy.” Ph.D. thesis, University of California, Berkeley (1999).
- [56] A. Damascelli, Z. Hussain, and Z.-X. Shen, “Angle-resolved photoemission studies of the cuprate superconductors.” *Reviews of Modern Physics* **75**, 473–541 (2003).
- [57] H. Ding, M. R. Norman, J. C. Campuzano, M. Randeria, A. F. Bellman, T. Yokoya, T. Takahashi, T. Mochiku, and K. Kadowaki, “Angle-resolved photoemission spectroscopy study of the superconducting gap anisotropy in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review B* **54**, R9678–R9681 (1996).
- [58] D. S. Dessau, Z. X. Shen, D. M. King, D. S. Marshall, L. W. Lombardo, P. H. Dickinson, A. G. Loeser, J. Dicarolo, C. H. Park, A. Kapitulnik, and W. E. Spicer, “Key features in the measured band-structure of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ - flat bands at ϵ_F and fermi-surface nesting.” *Physical Review Letters* **71**, 2781–2784 (1993).
- [59] Z.-X. Shen, W. E. Spicer, D. M. King, D. S. Dessau, and B. O. Wells, “Photoemission Studies of High- T_c Superconductors: The Superconducting Gap.” *Science* **267**, 5296 (1995).
- [60] M. R. Norman, H. Ding, M. Randeria, J. C. Campuzano, T. Yokoya, T. Takeuchi, T. Takahashi, T. Mochiku, K. Kadowaki, P. Guptasarma, and D. G. Hinks, “Destruction of the Fermi surface underdoped high- T_c superconductors.” *Nature* **392**, 157–160 (1998).

- [61] T. Valla, A. V. Fedorov, P. D. Johnson, B. O. Wells, S. L. Hulbert, Q. Li, G. D. Gu, and N. Koshizuka, “Evidence for quantum critical behavior in the optimally doped cuprate $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Science* **285**, 2110–2113 (1999).
- [62] D. L. Feng, D. H. Lu, K. M. Shen, C. Kim, H. Eisaki, A. Damascelli, R. Yoshizaki, J. Shimoyama, K. Kishio, G. D. Gu, S. Oh, A. Andrus, J. O’Donnell, J. N. Eckstein, and Z. X. Shen, “Signature of superfluid density in the single-particle excitation spectrum of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Science* **289**, 277–281 (2000).
- [63] J. Mesot, M. R. Norman, H. Ding, M. Randeria, J. C. Campuzano, A. Paramekanti, H. M. Fretwell, A. Kaminski, T. Takeuchi, T. Yokoya, T. Sato, T. Takahashi, T. Mochiku, and K. Kadowaki, “Superconducting gap anisotropy and quasiparticle interactions: A doping dependent photoemission study.” *Physical Review Letters* **83**, 840–843 (1999).
- [64] A. Boothroyd, “Introduction to Neutron Scattering.” <http://xray.physics.ox.ac.uk/Boothroyd/IoPworkshop%20ATB.PDF> (2003).
- [65] B. Lake, G. Aeppli, K. N. Clausen, D. F. McMorrow, K. Lefmann, N. E. Hussey, N. Mangkorntong, M. Nohara, H. Takagi, T. E. Mason, and A. Schroder, “Spins in the vortices of a high-temperature superconductor.” *Science* **291**, 1759–1762 (2001).
- [66] H. A. Mook, P. C. Dai, and F. Doğan, “Charge and spin structure in $\text{YBa}_2\text{Cu}_3\text{O}_{6.35}$.” *Physical Review Letters* **88**, 097004 (2002).
- [67] H. F. Fong, P. Bourges, Y. Sidis, L. P. Regnault, A. Ivanov, G. D. Gu, N. Koshizuka, and B. Keimer, “Neutron scattering from magnetic excitations in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Nature* **398**, 588–591 (1999).
- [68] B. Khaykovich, Y. S. Lee, R. W. Erwin, S. H. Lee, S. Wakimoto, K. J. Thomas, M. A. Kastner, and R. J. Birgeneau, “Enhancement of long-range magnetic order by magnetic field in superconducting $\text{La}_2\text{CuO}_{4+y}$.” *Physical Review B* **66**, 014528 (2002).
- [69] A. Rigamonti, F. Borsa, and P. Carretta, “Basic aspects and main results of NMR-NQR spectroscopies in high-temperature superconductors.” *Reports on Progress in Physics* **61**, 1367–1439 (1998).
- [70] C. Berthier, M. H. Julien, M. Horvatic, and Y. Berthier, “NMR studies of the normal state of high temperature superconductors.” *Journal de Physique I* **6**, 2205–2236 (1996).

- [71] M. Takigawa and D. B. Mitzi, “NMR-studies of spin excitations in superconducting $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ single-crystals.” *Physical Review Letters* **73**, 1287–1290 (1994).
- [72] V. F. Mitrović, E. E. Sigmund, M. Eschrig, H. N. Bachman, W. P. Halperin, A. P. Reyes, P. Kuhns, and W. G. Moulton, “Spatially resolved electronic structure inside and outside the vortex cores of a high-temperature superconductor.” *Nature* **413**, 501–504 (2001).
- [73] M. Tinkham, *Introduction to Superconductivity* (New York: McGraw-Hill, Inc., 1996), second edition.
- [74] M. R. Norman, M. Randeria, H. Ding, and J. C. Campuzano, “Phenomenological models for the gap anisotropy of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ as measured by angle-resolved photoemission spectroscopy.” *Physical Review B* **52**, 615–622 (1995).
- [75] R. J. Radtke and M. R. Norman, “Relation of extended Van Hove singularities to high-temperature superconductivity within strong-coupling theory.” *Physical Review B* **50**, 9554–9560 (1994).
- [76] A. A. Abrikosov, J. C. Campuzano, and K. Gofron, “Experimentally observed extended saddle point singularity in the energy spectrum of $\text{YBa}_2\text{Cu}_3\text{O}_{6.9}$ and $\text{YBa}_2\text{Cu}_4\text{O}_8$ and some of the consequences.” *Physica C* **214**, 73–79 (1993).
- [77] K. Gofron, J. C. Campuzano, H. Ding, C. Gu, R. Liu, B. Dabrowski, B. W. Veal, W. Cramer, and G. Jennings, “Occurrence of van Hove singularities in $\text{YBa}_2\text{Cu}_4\text{O}_8$ and $\text{YBa}_2\text{Cu}_3\text{O}_{6.9}$.” *Journal of Physics and Chemistry of Solids* **54**, 1193–1198 (1993).
- [78] M. C. Schabel, C.-H. Park, A. Matsuura, Z.-X. Shen, D. A. Bonn, R. Liang, and W. N. Hardy, “Angle-resolved photoemission on untwinned $\text{YBa}_2\text{Cu}_3\text{O}_{6.95}$. I. Electronic structure and dispersion relations of surface and bulk bands.” *Physical Review B* **57**, 6090–6106 (1998).
- [79] J. Brinckmann and P. A. Lee, “Slave boson approach to neutron scattering in $\text{YBa}_2\text{Cu}_3\text{O}_{6+y}$ superconductors.” *Physical Review Letters* **82**, 2915–2918 (1999).
- [80] H. Ding, J. C. Campuzano, A. F. Bellman, T. Yokoya, M. R. Norman, M. Randeria, T. Takahashi, H. Katayama-Yoshida, T. Mochiku, K. Kadowaki, and G. Jennings, “Momentum Dependence of the Superconducting Gap in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **74**, 2784–2787 (1995).

- [81] D. L. Feng, N. P. Armitage, D. H. Lu, A. D. J. P. Hu, P. Bogdanov, A. Lanzara, F. Ronning, K. M. S. H. Eisaki, C. Kim, Z.-X. Shen, J. i. Shimoyama, and K. Kishio, “Bilayer Splitting in the Electronic Structure of Heavily Overdoped $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **86**, 5550–5553 (2001).
- [82] H. Ding, A. F. Bellman, J. C. Campuzano, M. Randeria, M. R. Norman, T. Yokoya, T. Takahashi, H. Katayama-Yoshida, T. Mochiku, K. Kadowaki, G. Jennings, and G. P. Brivio, “Electronic Excitations in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$: Fermi Surface, Dispersion, and Absence of Bilayer Splitting.” *Physical Review Letters* **76**, 1533–1536 (1996).
- [83] M. R. Norman, “Relation of neutron incommensurability to electronic structure in high-temperature superconductors.” *Physical Review B* **61**, 14751–14758 (2000).
- [84] M. Eschrig and M. R. Norman, “Neutron Resonance: Modeling Photoemission and Tunneling Data in the Superconducting State of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **85**, 3261–3264 (2000).
- [85] M. Eschrig and M. R. Norman, “Effect of the magnetic resonance on the electronic spectra of high- T_c superconductors.” *Physical Review B* **67**, 144503 (2003).
- [86] Q. H. Wang and D. H. Lee, “Quasiparticle scattering interference in high-temperature superconductors.” *Physical Review B* **67**, 020511 (2003).
- [87] J. Corson, J. Orenstein, S. Oh, J. O’Donnell, and J. N. Eckstein, “Nodal quasiparticle lifetime in the superconducting state of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **85**, 2569–2572 (2000).
- [88] Z. X. Shen, D. S. Dessau, B. O. Wells, D. M. King, W. E. Spicer, A. J. Arko, D. Marshall, L. W. Lombardo, A. Kapitulnik, P. Dickinson, S. Doniach, J. Dicarolo, A. G. Loeser, and C. H. Park, “Anomalously large gap anisotropy in the $a - b$ plane of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **70**, 1553–1556 (1993).
- [89] T. Cren, D. Roditchev, W. Sacks, and J. Klein, “Nanometer scale mapping of the density of states in an inhomogeneous superconductor.” *Europhys. Lett.* **54**, 84–90 (2001).
- [90] S. H. Pan, J. P. O’Neal, R. L. Badzey, C. Chamon, H. Ding, J. R. Engelbrecht, Z. Wang, H. Eisaki, S. Uchida, A. K. Gupta, K. W. Ng, E. W. Hudson, K. M. Lang, and J. C. Davis, “Microscopic electronic inhomogeneity in the high- T_c superconductor $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Nature* **413**, 282–285 (2001).

- [91] C. Howald, R. Fournier, and A. Kapitulnik, “Inherent inhomogeneities in tunneling spectra of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ crystals in the superconducting state.” *Physical Review B* **64**, 100504 (2001).
- [92] K. M. Lang, V. Madhavan, J. E. Hoffman, E. W. Hudson, H. Eisaki, S. Uchida, and J. C. Davis, “Imaging the granular structure of high T_c superconductivity in underdoped $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Nature* **415**, 412–416 (2002).
- [93] L. Capriotti, D. J. Scalapino, and R. D. Sedgewick, “Wave-vector power spectrum of the local tunneling density of states: Ripples in a d -wave sea.” *Physical Review B* **68**, 014508 (2003).
- [94] S. A. Kivelson, I. P. Bindloss, E. Fradkin, V. Oganesyan, J. M. Tranquada, A. Kapitulnik, and C. Howald, “How to detect fluctuating stripes in the high-temperature superconductors.” *Reviews of Modern Physics* **75**, 1201–1241 (2003).
- [95] D. Podolsky, E. Demler, K. Damle, and B. I. Halperin, “Translational symmetry breaking in the superconducting state of the cuprates: Analysis of the quasiparticle density of states.” *Physical Review B* **67**, 094514 (2003).
- [96] M. F. Crommie, C. P. Lutz, and D. M. Eigler, “Imaging standing waves in a 2-dimensional electron-gas.” *Nature* **363**, 524–527 (1993).
- [97] Y. Hasegawa and P. Avouris, “Direct observation of standing-wave formation at surface steps using scanning tunneling spectroscopy.” *Physical Review Letters* **71**, 1071–1074 (1993).
- [98] L. Bürgi, H. Brune, O. Jeandupeux, and K. Kern, “Quantum coherence and lifetimes of surface-state electrons.” *Journal of Electron Spectroscopy and Related Phenomena* **109**, 33–49 (2000).
- [99] J. Friedel, “The Distribution of Electrons Round Impurities in Monovalent Metals.” *Philosophical Magazine* **43**, 153–189 (1952).
- [100] C. Wittneven, R. Dombrowski, M. Morgenstern, and R. Wiesendanger, “Scattering states of ionized dopants probed by low temperature scanning tunneling spectroscopy.” *Physical Review Letters* **81**, 5616–5619 (1998).
- [101] K. Kanisawa, M. J. Butcher, H. Yamaguchi, and Y. Hirayama, “Imaging of friedel oscillation patterns of two-dimensionally accumulated electrons at epitaxially grown $\text{InAs}(111)\text{A}$ surfaces.” *Physical Review Letters* **86**, 3384–3387 (2001).

- [102] A. Yazdani, B. A. Jones, C. P. Lutz, M. F. Crommie, and D. M. Eigler, “Probing the local effects of magnetic impurities on superconductivity.” *Science* **275**, 1767–1770 (1997).
- [103] L. Petersen, P. Hofmann, E. W. Plummer, and F. Besenbacher, “Fourier transform-STM: determining the surface Fermi contour.” *Journal of Electron Spectroscopy and Related Phenomena* **109**, 97–115 (2000).
- [104] D. Fujita, K. Amemiya, T. Yakabe, H. Nejoh, T. Sato, and M. Iwatsuki, “Observation of two-dimensional Fermi contour of a reconstructed Au(111) surface using Fourier transform scanning tunneling microscopy.” *Surface Science* **423**, 160–168 (1999).
- [105] J. M. Byers, M. E. Flatte, and D. J. Scalapino, “Influence of gap extrema on the tunneling conductance near an impurity in an anisotropic superconductor.” *Physical Review Letters* **71**, 3363–3366 (1993).
- [106] C. Howald, H. Eisaki, N. Kaneko, M. Greven, and A. Kapitulnik, “Periodic density-of-states modulations in superconducting $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review B* **67**, 014533 (2003).
- [107] J. E. Hoffman, E. W. Hudson, K. M. Lang, V. Madhavan, H. Eisaki, S. Uchida, and J. C. Davis, “A Four Unit Cell Periodic Pattern of Quasi-Particle States Surrounding Vortex Cores in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Science* **295**, 466–469 (2002).
- [108] D. G. Zhang and C. S. Ting, “Energy-dependent modulations in the local density of states of the cuprate superconductors.” *Physical Review B* **67**, 100506 (2003).
- [109] T. Pereg-Barnea and M. Franz, “Theory of the quasiparticle interference patterns in the pseudogap phase of the cuprate superconductors.” <http://arxiv.org/abs/cond-mat/0306712> (2003).
- [110] C. Bena, S. Chakravarty, J.-P. Hu, and C. Nayak, “Quasiparticle scattering and local density of states in the d -density wave phase.” <http://arxiv.org/abs/cond-mat/0311299> (2003).
- [111] L. Zhu, W. A. Atkinson, and P. J. Hirschfeld, “Power spectrum of many impurities in a d -wave superconductor.” <http://arxiv.org/abs/cond-mat/0307228> (2003).
- [112] A. Polkovnikov, M. Vojta, and S. Sachdev, “Pinning of dynamic spin-density-wave fluctuations in cuprate superconductors.” *Physical Review B* **65**, 220509 (2002).

- [113] A. Polkovnikov, S. Sachdev, and M. Vojta, “Spin collective mode and quasiparticle contributions to STM spectra of d -wave superconductors with pinning.” *Physica C* **388-389**, 19 (2003).
- [114] J. H. Han, “Signature of a collective spin mode in the local tunneling spectra of a d -wave superconductor.” *Physical Review B* **67**, 094506 (2003).
- [115] B. M. Andersen, “Two nonmagnetic impurities in the d -wave-superconducting and d -density-wave states of the cuprate superconductors as a probe for the pseudogap.” *Physical Review B* **68**, 094518 (2003).
- [116] K.-K. Voo, H.-Y. Chen, and W. C. Wu, “Defect and anisotropic gap-induced quasi-one-dimensional modulation of the local density of states of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$.” *Physical Review B* **86**, 012505 (2003).
- [117] J.-X. Zhu, A. V. Balatsky, J. Sun, and Q. Si, “Effects of Magnetic Collective Modes in the Tunneling Spectra of High- T_c Superconductors.” *International Journal of Modern Physics B* **17**, 3473–3478 (2003).
- [118] B. Lake *et al.* Unpublished (2003).
- [119] Q. M. Si, Y. Y. Zha, K. Levin, and J. P. Lu, “Comparison of spin dynamics in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ and $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$: effects of Fermi-surface geometry.” *Physical Review B* **47**, 9055–9076 (1993).
- [120] P. B. Littlewood, J. Zaanen, G. Aeppli, and H. Monien, “Spin fluctuations in a 2-dimensional marginal fermi-liquid.” *Physical Review B* **48**, 487–498 (1993).
- [121] C. Caroli, P. G. DeGennes, and J. Matricon, “Bound Fermion States on a Vortex Line in a Type-II Superconductor.” *Physics Letters* **9**, 307–309 (1964).
- [122] H. F. Hess, R. B. Robinson, R. C. Dynes, J. M. Valles, and J. V. Waszczak, “Scanning-Tunneling-Microscope Observation of the Abrikosov Flux Lattice and the Density of States near and inside a Fluxoid.” *Physical Review Letters* **62**, 214–216 (1989).
- [123] D. J. Griffiths, *Introduction to Quantum Mechanics* (Englewood Cliffs, New Jersey: Prentice-Hall, Inc., 1995), first edition.
- [124] G. E. Volovik, “Superconductivity with lines of gap nodes - density-of-states in the vortex.” *JETP Letters* **58**, 469–473 (1993).
- [125] P. I. Soininen, C. Kallin, and A. J. Berlinsky, “Structure of a vortex line in a $d_{x^2-y^2}$ superconductor.” *Physical Review B* **50**, 13883–13886 (1994).

- [126] Y. Wang and A. H. MacDonald, “Mixed-state quasi-particle spectrum for d -wave superconductors.” *Physical Review B* **52**, R3876–R3879 (1995).
- [127] M. Ichioka, N. Hayashi, N. Enomoto, and K. Machida, “Vortex structure in d -wave superconductors.” *Physical Review B* **53**, 15316–15326 (1996).
- [128] M. Franz and Z. Tešanović, “Self-consistent electronic structure of a $d_{x^2-y^2}$ and a $d_{x^2-y^2} + id_{xy}$ vortex.” *Physical Review Letters* **80**, 4763–4766 (1998).
- [129] I. Maggio-Aprile, C. Renner, A. Erb, E. Walker, and O. Fischer, “Direct vortex lattice imaging and tunneling spectroscopy of flux lines on $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$.” *Physical Review Letters* **75**, 2754–2757 (1995).
- [130] C. Renner, B. Revaz, K. Kadowaki, I. Maggio-Aprile, and O. Fischer, “Observation of the low temperature pseudogap in the vortex cores of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **80**, 3606–3609 (1998).
- [131] S. H. Pan, E. W. Hudson, A. K. Gupta, K. W. Ng, H. Eisaki, S. Uchida, and J. C. Davis, “STM studies of the electronic structure of vortex cores in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Physical Review Letters* **85**, 1536–1539 (2000).
- [132] J. L. Tallon and J. W. Loram, “The doping dependence of T^* – what is the real high- T_c phase diagram?” *Physica C* **349**, 53–68 (2001).
- [133] Y. Ando, G. S. Boebinger, A. Passner, T. Kimura, and K. Kishio, “Logarithmic divergence of both in-plane and out-of-plane normal state resistivities of superconducting $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ in the zero-temperature limit.” *Physical Review Letters* **75**, 4662–4665 (1995).
- [134] G. S. Boebinger, Y. Ando, A. Passner, T. Kimura, M. Okuya, J. Shimoyama, K. Kishio, K. Tamasaku, N. Ichikawa, and S. Uchida, “Insulator-to-metal crossover in the normal state of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ near optimum doping.” *Physical Review Letters* **77**, 5417–5420 (1996).
- [135] D. P. Arovas, A. J. Berlinsky, C. Kallin, and S. C. Zhang, “Superconducting vortex with antiferromagnetic core.” *Physical Review Letters* **79**, 2871–2874 (1997).
- [136] J. X. Zhu and C. S. Ting, “Quasiparticle states at a d -wave vortex core in high- T_c superconductors: Induction of local spin density wave order.” *Physical Review Letters* **87**, 147002 (2001).

- [137] Q. H. Wang, J. H. Han, and D. H. Lee, “Staggered currents in the mixed state.” *Physical Review Letters* **87**, 167004 (2001).
- [138] J. P. Hu and S.-C. Zhang, “Theory of static and dynamic antiferromagnetic vortices in LSCO superconductors.” *Journal of Physics and Chemistry of Solids* **63**, 2277–2282 (2002).
- [139] K. Park and S. Sachdev, “Bond-operator theory of doped antiferromagnets: From Mott insulators with bond-centered charge order to superconductors with nodal fermions.” *Physical Review B* **64**, 184510 (2001).
- [140] K. Kakuyanagi, K. Kumagai, Y. Matsuda, and M. Hasegawa, “Antiferromagnetic Vortex Core in $Tl_2Ba_2CuO_{6+\delta}$ Studied by Nuclear Magnetic Resonance.” *Physical Review Letters* **90**, 197003 (2003).
- [141] J. Zaanen, “High-temperature superconductivity - Stripes defeat the Fermi liquid.” *Nature* **404**, 714–715 (2000).
- [142] K. Matsuba, H. Sakata, N. Kosugi, H. Nishimori, and N. Nishida, “Ordered Vortex Lattice and Intrinsic Vortex Core States in $Bi_2Sr_2CaCu_2O_{8-\delta}$ Studied by Scanning Tunneling Microscopy and Spectroscopy.” *Journal of the Physical Society of Japan* **72**, 2153–2156 (2003).
- [143] B. W. Hoogenboom, K. Kadowaki, B. Revaz, M. Li, C. Renner, and Ø. Fischer, “Linear and Field-Independent Relation between Vortex Core State Energy and Gap in $Bi_2Sr_2CaCu_2O_{8+\delta}$.” *Physical Review Letters* **87**, 267001 (2001).
- [144] T. Timusk and B. Statt, “The pseudogap in high-temperature superconductors: an experimental survey.” *Reports on Progress in Physics* **62**, 61–122 (1999).
- [145] L. Ozyuzer, J. F. Zasadzinski, N. Miyakawa, C. Kendziora, J. Sha, D. G. Hinks, and K. E. Gray, “Tunneling spectroscopy of heavily underdoped crystals of $Bi_2Sr_2CaCu_2O_{8+\delta}$.” *Physica C* **341-348**, 927–928 (2000).
- [146] B. W. Hoogenboom, K. Kadowaki, B. Revaz, and Ø. Fischer, “Homogeneous samples of $Bi_2Sr_2CaCu_2O_{8+\delta}$.” *Physica C* **391**, 376–380 (2003).
- [147] M. R. Presland, J. L. Tallon, R. G. Buckley, R. S. Liu, and N. E. Flower, “General Trends in Oxygen Stoichiometry Effects on T_c in Bi and Tl Superconductors.” *Physica C* **176**, 95–105 (1991).

- [148] S. D. Obertelli, J. R. Cooper, and J. L. Tallon, “Systematics in the thermoelectric power of high- T_c oxides.” *Physical Review B* **46**, 1492814931 (1992).
- [149] N. Miyakawa, P. Guptasarma, J. F. Zasadzinski, D. G. Hinks, and K. E. Gray, “Strong Dependence of the Superconducting Gap on Oxygen Doping from Tunneling Measurements on $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8-\delta}$.” *Physical Review Letters* **80**, 157–160 (1998).
- [150] T. Nakano, N. Momono, M. Oda, and M. Ido, “Correlation between the doping dependences of superconducting gap magnitude $2\Delta_0$ and pseudogap temperature T^* in high- T_c cuprates.” *Journal of the Physical Society of Japan* **67**, 2622–2625 (1998).
- [151] B. vom Hedt, W. Lisseck, K. Westerholt, and H. Bach, “Superconductivity in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ single crystals doped with Fe, Ni, and Zn.” *Physical Review B* **49**, 9898–9905 (1994).
- [152] E. Hudson, “Native Defects in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” Unpublished (2003).
- [153] S. H. Pan, E. W. Hudson, K. M. Lang, H. Eisaki, S. Uchida, and J. C. Davis, “Imaging the effects of individual zinc impurity atoms on superconductivity in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Nature* **403**, 746–750 (2000).
- [154] E. W. Hudson, K. M. Lang, V. Madhavan, S. H. Pan, H. Eisaki, S. Uchida, and J. C. Davis, “Interplay of magnetism and high- T_c superconductivity at individual Ni impurity atoms in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$.” *Nature* **411**, 920–924 (2001).
- [155] H. Hancotte, R. Deltour, D. N. Davydov, A. G. M. Jansen, and P. Wyder, “Superconducting order parameter in partially substituted $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ single crystals as measured by the tunneling effect.” *Physical Review B* **55**, R3410–R3413 (1997).
- [156] K. Westerholt, H. J. Wüller, H. Bach, and P. Stauche, “Influence of Ni, Fe, and Zn substitution on the superconducting and antiferromagnetic state of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$.” *Physical Review B* **39**, 11680–11689 (1989).
- [157] J.-M. Tang and M. E. Flatté, “Van Hove features in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ and effective parameters for Ni impurities inferred from STM spectra.” *Physical Review B* **66**, 060504 (2002).
- [158] A. Polkovnikov, S. Sachdev, and M. Vojta, “Impurity in a d -wave superconductor: Kondo effect and STM spectra.” *Physical Review Letters* **86**, 296–269 (2001).
- [159] S. Sachdev, “Spin and charge order in Mott insulators and d -wave superconductors.” *Journal of Physics and Chemistry of Solids* **63**, 2269–2276 (2002).

-
- [160] M. E. Flatté, “Quasiparticle resonant states as a probe of short-range electronic structure and Andreév coherence.” *Physical Review B* **61**, R14920–R14923 (2000).
- [161] M. E. Flatté, “Condensed-matter physics - Nickel probes superconductivity.” *Nature* **411**, 901–903 (2001).
- [162] H. V. Kruis, I. Martin, and A. V. Balatsky, “Impurity-induced resonant state in a pseudogap, state of a high- T_c superconductor.” *Physical Review B* **64**, 054501 (2001).
- [163] E. Šimánek, *Inhomogeneous Superconductors: Granular and Quantum Effects* (New York: Oxford University Press, 1994).
- [164] L. P. Gor’kov and A. V. Sokol, “Phase stratification of an electron liquid in the new superconductors.” *JETP Letters* **46**, 420–423 (1987).
- [165] V. J. Emery, S. A. Kivelson, and H. Q. Lin, “Phase-separation in the $t - J$ model.” *Physical Review Letters* **64**, 475–478 (1990).
- [166] V. J. Emery and S. A. Kivelson, “Frustrated electronic phase-separation and high-temperature superconductors.” *Physica C* **209**, 597–621 (1993).
- [167] E. Hudson, “Noise in Vibration Measurements.” Unpublished (2003).
- [168] C. Kittel and Krömer, *Introduction to Thermodynamics* (New York: W. H. Freedman and Company, 1980), second edition.
- [169] P. Horowitz and W. Hill, *The Art of Electronics* (Cambridge University Press, 1989).
- [170] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery, *Numerical Recipes in C* (New York: Cambridge University Press, 2002), second edition.
- [171] E. Hoskinson, “Geophone Calibration.” Unpublished (2003).